

VINSON & ELKINS L.L.P. 2300 FIRST CITY TOWER 1001 FANNIN STREET HOUSTON, TEXAS 77002-6760 TELEPHONE (713) 758-2222 FAX (713) 758-2346 www.velaw.com

Stephen M. Hash Direct Dial 512/542-8504 Direct Fax 512/236-3278 shash@velaw.com

March 25, 2004

MAIL STOP DD

Commissioner for Patents P. O. Box 1450 Alexandria, VA 22313-1450

CERTIFICATE OF MAILING

I, certify that this correspondence is being deposited with the U.S. Postal Service as First Class mail in an envelope addressed to Mail Stop DD, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450:

March 25, 2004

Date

Stephen M. Hash

Re: U. S. Patent Application Serial No. 10/670,135 entitled "ENDOGENOUS GRANZYME B IN HUMAN NON-HEMATOPOIETIC CELLS" by Hong-Ji Xu, et al. (Our Ref: AND541/4-007US/58011)

Dear Sirs:

Enclosed for filing in the above-referenced patent application are the following:

- 1. Information Disclosure Statement;
- 2. Form SB08 along with references C1-C40; and
- 3. A return postcard to acknowledge receipt of these documents. Please date stamp and mail this postcard.

Should any fees under 37 C.F.R. §§ 1.16 to 1.21 be required for any reason relating to the enclosed materials, the Assistant Commissioner is hereby authorized to deduct said fees from VINSON & ELKINS L.L.P. Deposit Account No. 22-0365/AND541/4-007US/58011.

Respectfully submitted,

Stephen M. Hash

Reg. No. 45,490

1891:3058 Enclosures





IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Xu, et al.

Serial No.: 10/670,135

Filed: September 24, 2003

For: ENDOGENOUS GRANZYME B IN NON-

IMMUNE CELLS

Group Art Unit: 1651

Examiner: Unknown

Atty. Dkt. No.: AND541/4-007US/58011

CERTIFICATE OF MAILING

I, certify that this correspondence is being deposited with the U.S. Postal Service as First Class mail in an envelope addressed to Mail Stop DD, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450:

March 25, 2004

Date

Stephen M. Hash

INFORMATION DISCLOSURE STATEMENT

MAIL STOP DD

Commissioner for Patents P. O. Box 1450 Alexandria, VA 22313-1450

Sir:

In compliance with the duty of disclosure under 37 C.F.R. § 1.56, it is respectfully requested that this Information Disclosure Statement be entered and the documents listed on the attached Form SB/08/B be considered by the Examiner and made of record. Copies of the listed documents (References C1-C40) required by 37 C.F.R. § 1.98(a)(2) are enclosed for the convenience of the Examiner.

In accordance with 37 C.F.R. §§ 1.97(g),(h), this Information Disclosure Statement is not to be construed as a representation that a search has been made, and is not to be construed to be

an admission that the information cited is, or is considered to be, material to patentability as defined in 37 C.F.R. § 1.56(b).

The present Information Disclosure Statement is being filed prior to the receipt of a first Official Action reflecting an examination on the merits, and hence is believed to be timely filed in accordance with 37 C.F.R. § 1.97(b). No fees are believed to be due in connection with the filing of this Information Disclosure Statement, however, should any fees under 37 C.F.R. §§ 1.16 to 1.21 be deemed necessary for any reason relating to these materials, the Commissioner is hereby authorized to deduct said fees from Vinson & Elkins L.L.P. Deposit Account No. 22-0365/AND541/4-007US/58011.

Respectfully submitted,

Stephen M. Hash Reg. No. 45,490

Attorney for Applicant

Vinson & Elkins L.L.P. 2300 First City Tower 1001 Fannin Street Houston, Texas 77002-6760 512/542-8504

Date:

March 25, 2004

434614_1.DOC

INFOR	MATION D	ISCL	OSURE	Application Number	10/670,135			
	NENT BY			Filing Date	09/24/03			
/ •	E			First Named Inventor	Hong-Ji Xu			
MAR 2 9 2004 B				Group Art Unit	1651			
3				Examiner Name	Unknown			
Sheet of 3				Attorney Docket Number	AND541/4-007US/58011			
		JMENTS						
C28		SCHMID, J., and WEISSMANN, C. (1987) Induction of mRNA for a serine protease and a β-thrombo- globulin-like protein in mitogen-stimulated human leukocytes. J. Immunol. 139, 250-256.						
C29		SHAN, B., et al. (1996). The molecular basis of E2F-1/DP-1-induced S-phase entry and apoptosis. Cell Growth Differ. 7, 689-697.						
C30		SHI, L., et al. (1997). Granzyme B (GraB) autonomously crosses the cell membrane and perforin initiates apoptosis and GraB nuclear localization. J. Exp. Med. 185, 855-866.						
C31		SHRESTA, S., et al. (1997). Mechanisms responsible for granzyme B-independent cytotoxicity. Blood 89, 4085-4091.						
C32		SUN, J., et al. (2001). Importance of the P4' residue in human granzyme B inhibitors and substrates revealed by scanning mutagenesis of the proteinase inhibitor 9 reactive center loop. J. Biol. Chem. 276,15177-15184.						
C33		TAN, X., et al. (1997). Degradation of retinoblastoma protein in tumor necrosis factor and CD95-induced cell death. J. Biol. Chem. 272, 9613-9616.						
C34		TRAPANI, J. A., et al. (1996). Localization of granzyme B in the nucleus. A putative role in the mechanism of cytotoxic lymphocyte-mediated apoptosis. J.Biol.Chem. 271, 4127-4133.						
C35	with activ	WARGNIER, A., et al. (1995). Identification of human granzyme B promoter regulatory elements interacting with activated T-cell-specific proteins: implication of Ikaros and CBF binding sites in promoter activation. Proc. Natl. Acad. Sci. U. S. A. 92, 6930-6934.						
C36		XU, HJ. (1995). Altered retinoblastoma (RB) protein expression in human malignancies. Adv. Anat. Pathol. 2, 213-226.						
C37		XU, HJ., et al. (1997). Reexpression of retinoblastoma protein induces tumor cell senescence and telomerase inhibition. Oncogene 15, 2589-2596.						
C38		YANG, X., et al, (1998). Granzyme B mimics apical caspases. Description of a unified pathway for transactivation of executioner caspase-3 and -7. J. Biol. Chem. 273, 34278-34283.						
C39	of cytoto	YASUKAWA, M., et al. (2000). Granule exocytosis, and not the Fas/Fas ligand system, is the main pathway of cytotoxicity mediated by alloantigen-specific CD4(+) as well as CD8(+) cytotoxic T lymphocytes in humans. Blood 95, 2352-2355.						
C40		ZHOU, Y., et al. (1994). Further characterization of retinoblastoma gene-mediated cell growth and tumor suppression in human cancer cells. Proc. Natl. Acad. Sci. U. S. A. 91, 4165-4169.						
Examiner Signature				Dat Cor	te nsidered			

		_					PTO/SB/08A_(04-03)		
	_	TATION DI			Application Number	10/670	,135		
STATEMENT BY APPLICANT					Filing Date	09/24/	03		
0 2004					First Named Inventor	Hong-	Ji Xu		
MAR 2 9 2004					Group Art Unit	1651			
					Examiner Name	Unkno	own		
Sheet of 3			Attorney Docket Number	er AND54	1/4-007US/58011				
	NON-PATENT LITERATURE DOCUMENTS								
	C1 _,	AN, B., AND DOU, Q. P. (1996). Cleavage of retinoblastoma protein during apoptosis: an interleukin 1 beta-converting enzyme-like protease as candidate. Cancer Res. 56, 438-442.							
	C2	BABICHUK, C.K., DUGGAN, B.L., AND BLEACKLEY, R.C. (1996). In vivo regulation of murine granzyme B gene transcription in activated primary T cells. J. Biol. Chem. 271, 16485-16493.							
	C3	BERTHOU, C., et al. (1995). Granzyme B and perforin lytic proteins are expressed in CD34 ⁺ peripheral blood progenitor cells mobilized by chemotherapy and granulocyte colony-stimulating factor. Blood 86, 3500-3506.							
	C4 ,	BERTHOU, C., et al. (1997). Acquisition of granzyme B and Fas ligand proteins by human keratinocytes contributes to epidermal cell defense. J. Immunol. 159, 5293-5300.							
	C5 _/	BRUNO, A.P., et al. (2000). Acute myeloblastic leukemic cells acquire cellular cytotoxicity under genotoxic stress: implication of granzyme B and perforin. Blood 96, 1914-1920.							
	C6 _/	CHEN, P.L., et al. (1992). Stability of retinoblastoma gene expression determines the tumorigenicity of reconstituted retinoblastoma cells. Cell Growth Differ. 3, 119-125.							
	C7 _,	CHEN, W.D., et al. (1997). Apoptosis is associated with cleavage of a 5-kDa fragment from RB which mimics dephosphorylation and modulates E2F binding. Oncogene 14, 1243-1248.							
	C8	CORDON-CARDO, C., AND RICHON, V.M. (1994). Expression of the retinoblastoma protein is regulated in normal human tissues. Am. J. Pathol. 144, 500-510.							
	C9 ′	DYSON, N. (1998). The regulation of E2F by pRB-family proteins. Genes Dev. 12: 2245-2262.							
	C10,	FATTMAN, C.L., et al. (1998). p53-independent dephosphorylation and cleavage of retinoblastoma protein during tamoxifen-induced apoptosis in human breast carcinoma cells. Cancer Letters 130,103-113.							
	C11 _/	GRAUBERT, T.A., et al. (1997). Perforin/granzyme-dependent and independent mechanisms are both important for the development of graft-versus-host disease after murine bone marrow transplantation. J. Clin. Invest. 100, 904-911.							
	C12	HAAS-KOGAN, D.A., et al. (1995). Inhibition of apoptosis by the retinoblastoma gene product. EMBO J. 14, 461-472.							
	C13 ²	HEUSEL, J.W., et al. (1994). Cytotoxic lymphocytes require granzyme B for the rapid induction of DNA fragmentation and apoptosis in allogeneic target cells. Cell 76, 977-987.							
Examiner Date Signature Considered									

INFOR	MATION DISC	LOSLIBE	Application Number	10/670,135					
	MENT BY APP								
0	C. C.		Filing Date	09/24/03					
1 / 9 7	004 22		First Named Inventor	Hong-Ji Xu					
MAR, L	E /		Group Art Unit	1651					
73		T	Examiner Name	Unknown					
Sheet	of	3	Attorney Docket Number	AND541/4-007US/58011					
	NON-PATENT LITERATURE DOCUMENTS								
C14	and placenta	HIRST, C.E., et al. Perforin-independent expression of granzyme B and proteinase inhibitor 9 in human testis and placenta suggests a role for granzyme B-mediated proteolysis in reproduction. Molecular Human Reproduction, 7:1133-1142, 2001.							
C15,	HOFMANN, F., et al. (1996). The retinoblastoma gene product protects E2F-1 from degradation by the ubiquitin-proteasome pathway. Genes Dev. 10, 2949-2959.								
C16	HU, SX, et al. (2003) Expression of endogenous granzyme B in a subset of human primary breast carcinomas. Br. J. Can. 89(1):135-9.								
C17	HUANG, H.J., et al. (1988). Suppression of the neoplastic phenotype by replacement of the <i>RB</i> gene in human cancer cells. Science 242, 1563-1566.								
C18.	KENNEA, NL, and MEHMET, H.J (2002) Neural stem cells, Pathol., 197(4):536-50.								
C19	KLEIN, J.L., et al. (1989). Genomic organization and chromosomal assignment for a serine protease gene (CSPB) expressed by human cytotoxic lymphocytes. Genomics 5, 110-117.								
C20	KONTANI, K., et al. (2001). Involvement of granzyme B and perforin in suppressing nodal metastasis of cancer cells in breast and lung cancers. Eur. J. Surg. Oncol. 27,180-186.								
C21,	KREK, W., et al. (1995). Cyclin A-kinase regulation of E2F-1 DNA binding function underlies suppression of an S phase checkpoint. Cell, 83: 1149-1158.								
C22,	LOBE, C.G., et al. (1986). Novel serine proteases encoded by two cytotoxic T lymphocyte-specific genes. Science 232, 858-861.								
C23	MOTYKA, B., et al. (2000) Mannose 6-phosphate/insulin-like growth factor II receptor is a death receptor for granzyme B during cytotoxic T cell-induced apoptosis. Cell 103, 491-500.								
C24 ₂	OGURA, Y., et al. (2001). Apoptosis and allograft rejection in the absence of CD8 ⁺ T cells. Transplantation 71, 1827-1834.								
C25 ₍		PINKOSKI, M. J., et al. (2000). Nuclear translocation of granzyme B in target cell apoptosis. Cell Death Differ. 7, 17-24.							
C26	QIN, X.Q., et al. (1992). Identification of a growth suppression domain within the retinoblastoma gene product. Genes Dev. 6, 953-964.								
C27,	ROMANO, G., et al. (2000) Latest Developments in Gene Transfer Technology: Achievements, Perspectives, and Controversies over Therapeutic Applications Stem Cells 18: 19-39.								
Examiner Signature			Date Considered						